Issue	Date	Reason
2	2016-12	Change in Affected Vehicles
1	2015-01	First issue

Affected vehicles


Model year	Model	Engine	Partner group
2016, 2017, 2018	XC90 (16-)	B4204T20, T23, T27 D4204T11, T14, T23, T6	America Europe International Nordic

Safety information


This document contains information about and location of the different types of stored energy (e.g., pyrotechnical, fuel, and electric voltage) found in Volvo's different models. All emergency services personnel should be familiar with this document to avoid accidental activation or ignition during rescue actions. The information is not exact, it shall be regarded as general. The information shown applies to left-hand drive cars. On right-hand drive vehicles, certain parts may have reversed positions.


Warning! For emergency services personnel: Disconnect the battery and wait at least 30 seconds before starting work on the vehicle. This is to prevent inadvertent activation of pyrotechnical SRS components.

Note! Hardness in the members may vary between different models. In illustrations where several models appear with the same body structure, the variant with the hardest material is always shown.



1 . Airbags
2 . Danger zone
3 . Seat belt pretensioner
4 . Reinforcements
5 . Fuel
6 . Battery
7 . High voltage




> 180 < 280 Mpa
> 280 < 380 Mpa
> 380 < 800 Mpa
> 800 Mpa
Aluminum